Web   Images   Groups   News   Froogle   Local   **more »**

Google™

| namespace buffers entity data sources | **Search** | Advanced Search |
| | | Preferences |

Web   Results **31 - 40** of about **261,000** for **namespace buffers entity data sources**. (**0.13** seconds)

BCP70
When a new **namespace** is needed, the "**namespace** name" is a URI that is used to ...
XML also has the ability to write character **data** using numeric **entity** ...
rfc.net/bcp0070.html - 72k - Cached - Similar pages

[PDF] Accessing Sensor **Data** Using Meta **data**: A Virtual Object Ring ...
File Format: PDF/Adobe Acrobat
Buffers that manage the sensor protocol abstraction. **Data** grids. manage the abstraction of
the **data** streams as named **entities**. Information about the **data** ...
portal.acm.org/ft_gateway.cfm?id=1080892&type=pdf - Similar pages

SAP Web Application Server - Persistence for Java Applications
WEB AS Java implicitly uses a Table **Buffer**. The Table **Buffer** stores entries ... Web AS
Java exposes the configured **data sources** to applications through the ...
https:/.../portal/prtroot/com.sapportals.km.docs/ documents/a1-8-4/Persistence%20for%
20Java%20Applications - 52k - Cached - Similar pages

Qt 4.1: QDomDocument Class Reference
The QDomDocument class has several functions for creating document **data**, for example,
... from the byte array **buffer**. No **namespace** processing is performed. ...
doc.trolltech.com/qdomdocument.html - 34k - Cached - Similar pages

Changelog for parsifal ===================== 1.0.0, 2.11.2005 1.0 ...
Now when element is in the default **namespace** localName will be correctly set ... reallocs
and fiddling of outbut **buffer** when parsing internal **entities** for ...
www.saunalahti.fi/~samiuus/toni/ChangeLog - 18k - Cached - Similar pages

Doxygen
The code parser tries to cross-reference to **source** code it parses with documented
entities. It also does syntax highlighting of the **sources**. ...
www.stack.nl/~dimitri/doxygen/arch.html - 19k - Cached - Similar pages

NeoEngine: NeoEngine: NeoEngine **Namespace** Reference
Emulate File object on **data buffer** A **buffer** file implements file operations ... The log
source object Contains a loglevel state and a number of **data** sinks ...
neoengine.emedia-solutions-wolf.de/ neoengine-api/html/**namespace**NeoEngine.html -
220k - Cached - Similar pages

Index of **Namespace**
jdbc-**data-source**-factoryType, Corresponds to JDBCDataSourceFactoryMBean ...
logType.memory-**buffer**-size, The size of the memory **buffer** that holds the last n ...
edocs.bea.com/wls/docs90/schemaref/config/
http___www.bea.com_ns_weblogic_90_domain/index.html - 138k - Cached - Similar pages

libnxml: nxml.h **Source** File
00420 * \param element The element of the new **data** struct **namespace**. ... 00577 * 00578
* \param nxml 00579 * \param **buffer** the memory **buffer** 00580 * \return ...
www2.autistici.org/bakunin/ libnxml/doc/nxml_8h-source.html - 101k -
Cached - Similar pages

DefaultHandler (Java API for XML Processing (JAXP) 1.4)
IOException - If there is an error setting up the new input **source**. ... for each chunk of
character **data** (such as adding the **data** to a node or **buffer**, ...
https://jaxp-**sources**.dev.java.net/ nonav/docs/api/org/xml/sax/helpers/DefaultHandler.html -
48k - Cached - Similar pages

◀ Gooooooooooooogle ▶

Result Page: **Previous** 1 2 3 **4** 5 6 7 8 9 10 11 12 13   **Next**

| namespace buffers entity data sourc | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Web   Images   Groups   News   Froogle   Local   **more »**

Google™ | guid namespace synchronization | Search   Advanced Search
Preferences

Web   Results **1 - 10** of about **236,000** for **guid namespace synchronization** . (0.33 seconds)

Title Index
... A Uniform Resource Name (URN) Formal **Namespace** for the New Zealand
Government ... Internet Time **Synchronization**: The Network Time Protocol ...
dret.net/rfc-index/titles - 1270k - Cached - Similar pages

Title Index
... A Uniform Resource Name (URN) **Namespace** for the Common Language Equipment
Identifier ... III Jornadas de Trabajo DOLMEN · Illustrated **Guide** to HTTP ...
dret.net/biblio/titles - 918k - Cached - Similar pages

Application Development **Guide** --Core Components
Avoiding Priority Inversion · Using **Synchronization** Objects · Race Conditions ·
Deadlocks ... Directory Services and RPC: Using the **Namespace** ...
www.univie.ac.at/dcedoc/A3U2J/A3U2JM02.HTM - 61k - Cached - Similar pages

[PDF] Microsoft PowerPoint - Object **Synchronization**
File Format: PDF/Adobe Acrobat - View as HTML
Record of database **synchronization** history with other. databases. databases. —
Database **GUID, Namespace**, Last Transaction Sent,. Database **GUID, Namespace** ...
www.intersystems.com.au/Symposium05/ Presentations/Object%20Synchronization.pdf -
Similar pages

Threading (C#)
Threading **namespace** provides classes and interfaces that support ... Threading (C#
Programming **Guide**). Threading enables your C# program to perform ...
msdn2.microsoft.com/en-us/library/ms173178.aspx - 16k - Cached - Similar pages

System.EnterpriseServices **Namespace**
EnterpriseServices **namespace** provides an important infrastructure for ... Public class,
SynchronizationAttribute, Sets the **synchronization** value of the ...
msdn2.microsoft.com/en-us/ library/system.enterpriseservices.aspx - 44k -
Cached - Similar pages

Synchronization of Information Aggregators using Markup (SIAM)
This specification uses a number of **namespace** prefixes throughout; ... It is the value of the
rdf:about attribute of an RSS 1.0 item, the **guid** element of an ...
www.25hoursaday.com/draft-obasanjo-siam-01.html - 57k - Cached - Similar pages

DataTable **Synchronization** Manager - The Code Project - C# Database
Adds **synchronization** to the DataTable Transaction Logger. ... Data; **namespace**
TransactionSyncrhonizationManagerUnitTests { [TestFixture] [ProcessTest] ...
www.codeproject.com/useritems/dtsm.asp - 54k - Cached - Similar pages

Globalization - Understanding Globalization in .NET
The System.Threading **namespace** contains classes and interfaces that enable
multithreaded programming. The classes of this **namespace** enable **synchronization** ...
www.dotnet-**guide**.com/globalization.html - 15k - Cached - Similar pages

[PPT] Data **Synchronization** in Intermittently Connected Applications

File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
If this parameter is set to 1 then a **GUID** will be assigned to each new object. ... identify the
System and **Namespace** involved. Rules of **Synchronization ...**
209.61.190.221/uploaded/ 8%20%20Optimized%20Data%20Synchronization%20Joe%
20Gallant.ppt - <u>Similar pages</u>

Try your search again on <u>Google Book Search</u>

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Info when you want it, right on your desktop
Free! <u>Download Google Desktop</u>

guid namespace synchronization   Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Web   Images   Groups   News   Froogle   Local   **more »**

Google™   client namespace slave namespace synchroni| [Search] | Advanced Search
                                                                    Preferences

Web Results **1** - **10** of about **39,200** for **client** namespace **slave** namespace **synchronization** . (0.40 seconds

The Mailbox Update (MUPDATE) protocol is the backend that allows ...
It indicates that the given name has been freed from the **namespace** and is no ...
Synchronization of **slave** databases to the master's database is simple. ...
asg.web.cmu.edu/cyrus/mupdate.html - 13k - Cached - Similar pages

[PPT] Slide 1
File Format: Microsoft Powerpoint - View as HTML
NIS Clients. **Slave**. **Slave**. **Slave**. Master. UNIX Password **Synchronization** ... Hierarchical
view of **namespace**; New features such as rename links, drag n' drop ...
download.microsoft.com/download/a/6/c/ a6c4a976-da3e-4950-8c46-
c3964cbbec1f/Windows%20Server%202003%20R2.ppt - Similar pages

Software development status
Cab creation in the organization **namespace**. User management; Cell preparation of adcp
rules; Hosts management; Y500 **synchronization** support ...
www.chips.chalmers.se/Chips/ dokumentation/rapporter/ProgDevStatus.html - 21k -
Cached - Similar pages

Highly Available LDAP
The referral mechanism lets you split the LDAP **namespace** across multiple ... This is a
simple setup to implement, but data **synchronization** between the ...
www.linuxjournal.com/node/5505/print - 22k - Cached - Similar pages

Highly Available LDAP | Linux Journal
The referral mechanism lets you split the LDAP **namespace** across multiple servers ...
Figure 2. slurpd pushes updates from the LDAP master to the LDAP **slave**. ...
www.linuxjournal.com/article/5505 - 49k - Cached - Similar pages

IBM^(R) Distributed Computing Environment Version 3.2 ...
Adding Members to the **Namespace** Authorization Group · Creating Additional Authorization
Groups ... Security Integration on a Slim **Client** Configuration ...
www-306.ibm.com/software/network/
dce/library/publications/admingd/html/ADMING02.HTM - 67k - Cached - Similar pages

IBM^(R) Distributed Computing Environment Version 3.2 ...
The CDS clerk handles requests from **client** applications to a server and caches the ... The
CDS server initializes the CDS **namespace** when you configure DCE. ...
www-306.ibm.com/software/network/dce/
library/publications/admintro/html/ADMINTRO09.HTM - 36k - Cached - Similar pages

[PPT] Windows and Unix Account Management and Authentication Integration
File Format: Microsoft Powerpoint 97 - View as HTML
Namespace. Security. Unix NIS **Client**. NIS Master Server. NIS **Slave** Server. yppush. NIS
Domain ... Credential **Synchronization**; **Client**-side Credential Caching ...
www.esat.kuleuven.ac.be/cosic/ seminars/slides/Win_Unix_Sec_Int_JDC_V1.ppt -
Similar pages

Replicating Your First Database In this example, we will be ...
bin/sh slonik <<_EOF_ #— # define the **namespace** the replication system ... store node

(id=2, comment = 'Slave node'); store path (server = 1, **client** = 2, ...
gborg.postgresql.org/project/ slony1/genpage.php?howto_basic - 11k -
Cached - Similar pages

mbsync
Synchronization state is kept in one local text file per mailbox pair; ... Selects whether the
server's first "personal" **NAMESPACE** should be prefixed to ...
isync.sourceforge.net/mbsync.html - 44k - Cached - Similar pages

Google Groups results for **client namespace slave namespace synchronization**

Proper sequence within autoexec.ncf - novell.support.cluster-service ... - Jan 28, 2006
what is CFGSYS32X.EXE - can.internet.highspeed - Feb 06, 2003
USENIX Winter '93 Technical Conference Tutorials - comp.org.sug - Jan 13, 1993

Try your search again on Google Book Search

Goooooooooogle ▶
Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

| client namespace slave namespace | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google